# "HAND ROTARY PUMP" Compact in Design & Light Weight

• Applicable for low viscosity.

### ■ Applications

- Heavy fuel oil A
- Kerosene
- Diesel





\*Oil temperature is over 10°C

### ■ Specifications

Model	SB-20	SB-25	
Delivery Volume	20 L (5 USG) / 105 Rotations 20 L (5 USG) / 72 Rot		
Impeller Material	PF	PS	
Delivery Hose (mm)	20 × 1100 (¾" × 43")	25 × 1280 (1" × 50")	
Gross Weight	24 kg (52.9 lbs)	25 kg (55.1 lbs)	
Dimensions L×W×H (mm)	1065 × 245 × 145	1085 × 202 × 225	
Packing Unit	6	4	



# "BIG AUTO PUMP" Light weight & Economical to Use

• Made from strong plastics.

## ■ Applications (PP-25)

- Dispensing small volumes of liquid
- Heavy fuel oil A
- Kerosene
- Diesel
- Water









PP-25

• Solvent

(PP-25C)

#### ■ Specifications

Mode	PP-25	PP-25C
Delivery Volume	20 L/min (5 USG/min)	
Material	Polyeti	hy <b>l</b> ene
Pump Length	1190 m	m (47")
Suction Pipe (mm)	(Inside Dia) 22 >	< 875 (0.86" × 34")
Delivery Hose (mm)	(Inside Dia) 20 >	< 1180 (¾" × 46")
Gross Weight	11 kg (2	24 <b>.</b> 2 <b> </b> bs)
Dimensions L×W×H (mm)	1237 × 4	60 × 270
Packing Unit	2	0

### ■ PP-25C Chemical Compatibility Rating Information

•		
	Rating Scale	
0	No Effect	
Δ	Moderate Effect	
×	Not Recommended	
Ν	Information Not Available	

Ν	Information Not Available		
(100	Chemical % concentration unless noted)	Rating	
Α	Acetone	×	
	Ammonium Hydroxide	N	
C D	Ch <b>l</b> orine	0	
D	Deionized Water	Δ	
	Diesel Fuel	0	
Е	Ethanol	0	
G	Gasoline	Δ	
	Glycol	N	
Н	Hydrochloric Acid (20%)	0	
	Hydrochloric Acid (37%)	0	
	Hydrochloric Acid (100%)	0	
	Isopropyl Alcohol	N	
K	Kerosene	0	
L	Lacquer Thinner	×	
М	Methanol	0	
	Methyl Chloride	×	
	Methyl Ethyl Ketone	×	
	Mineral Spirits	N	
	Motor Oil	0	
N	Nitric Acid (20%)	Δ	
	Nitric Acid (50%)	Δ	
	Nitric Acid (Concentrated)	Δ	
0	Oil, Hydraulic	0	
Р	Paint	X	
	Phosphoric Acid (< 40%)	0	
	Phosphoric Acid (≥ 40%)	0	
s	Salt Water	0	
	Seawater	0	
	Sodium Hypochlorite	N	
	Sodium Hydroxide (20%)	N	
	Sodium Hydroxide (50%)	N	
	Sodium Hydroxide (80%)	N	
	Sulfuric Acid (<10%)	0	
	Sulfuric Acid (10-75%)	0	
L	Sulfuric Acid (75–100%)	0	
W	Water	0	
Х	Xylene	Δ	

PP-25C

PP-25